

# TECHNICAL PRODUCT DOCUMENTATION

# Product Overview and Options

	ТҮРЕ	HEIGHT MAX	WIDTH MAX	THICKNESS	CORE			LEAF FINISH					FRAME FINISH		GASKET		LEVER		LOCK	
					Honeycomb	Tubular	Solid	Primed	Matt	Gloss	Oak	Laminate	Matt	Textured	White	Black	Insensation	Others	Magnetic	Mechanical
FS2 FRAMELESS SWING	Frameless	120"	42"	2"	•	•	•	•	•	•	•		•	•	•	•	•	•	•	
FD2 FRAMELESS DUO	Frameless	120"	36"	2"	•	•	•	•	•	•	•		•	•	•	•	•	•	•	
FP1 FRAMELESS POCKET	Frameless	120"	42"	1 5/8"	•	•	•	•	•	•	•		•	•	•		•	•		•
FB1 FRAMELESS BYPASS	Frameless	120"	36"	1 5/8"	•	•	•	•	•	•	•						•	•		
FL1 FRAMELESS SLIDE	Frameless	96"	47"	2"	•			•	•	•	•						•	•		
FV1 FRAMELESS PIVOT	Frameless	120"	47"	2"	•	•	•	•	•	•	•						•	•	•	

## INDEX


FS2 Frameless Swing FD2 Frameless Duo FP1 Frameless Pocket FB1 Frameless Bypass FL1 Frameless Slide FV1 Frameless Pivot Leaf Cores Locking Hinges Finishes Door Levers and Pulls Pantographic Design and Glass Inserts Special Configurations






# FS2 FRAMELESS SWING





### 5/8" Dry Wall Plan Dimensions




Page 2 of 14






# FD2 FRAMELESS DUO





# 5/8" Dry Wall Plan Dimensions








# FP1 FRAMELESS POCKET

### **Plan Dimensions**








# FB1 FRAMELESS BYPASS

### **Plan Dimensions**








# FL1 FRAMELESS SLIDE

### **Plan Dimensions**

Version 0

Version 60

Version 120








# FV1 FRAMELESS PIVOT

**Plan Dimensions** 


### No Frame

### Frameless





# LEAF CORES



### Solid

- extreme weight for banks, fire-rated or ultra quiet rooms
- also used when slots for HVAC are milled in leaf

### Tubular

• standard used in luxury homes

### Honeycomb

• lighter weight for closets or ancillary rooms

### Comparisons

- 32 dB
- 36 x 96" door weighs approx.
  187 lbs
- 30 dB
- 36 x 96" door weighs approx. 136 lbs
- 26 dB
- 36 x 96" door weighs approx.
  80 lbs



# LOCKING

# Lockcase options

**Security Key** 



#### Room key

skeleton key •

### **Privacy Lock**



### Passage

•

- no lock, only levers
- normal coded key • with or without our cylinder

Security key

# turnknob and emergency release

Privacy

• available in all formats to match levers

### Lock options



### Pocket


lock with edge pull



Touch

- no handle needed, but • pull needed on pull side of door
- also known as NOHA lockcase (NO HAndle)





- no handle needed, but pull needed on pull side of door
- integrated privacy • function on both sides of the door



Easy

magnets used for double closets to keep closed without a lockcase



# HINGES

### Colors (apply also to locks)



Silver

White

Black

### Self-closing option





# **FINISHES**

projects upon request.

### **Real Wood Veneers and Lacquers**



- D4 (olive) ٠
- D5 (mud) ٠
  - D8 (espresso)
- SD12 (champagne) •
- SD14 (cedar) ٠
  - SD15 (pepper)
- SM4 (branch) •
- SM5 (forest) •
- SM7 (caviar)
- SM8 (pewter)

RAL 7001 RAL 7002 RAL 7009 RAL 7011 RAL 7010 RAL 7023 RAL 7022 RAL 7024 RAL 7036 RAL 7034 RAL 7035 RAL 7044 RAL 8000 RAL 7043 RAL 8008 RAL 8011 RAL 8012 RAL 8022 RAL 8023 RAL 8024 RAL 9004 RAL 9005 RAL 9010 The wide range of door finishes from standard white matt lacquer (RAL 9016) to exclusive coloured lacquer matching the standards of italian cabinetry, allows you to meet any budget for any project.

Available in 259 colors in matt, super matt, textured or gloss



SQUARE 18cm Pull handle SQUARE 36cm Pull handle

# DOOR LEVERS AND PULLS



VEGA 18cm Pull

handle


VEGA 36cm Pull

handle


ALPHA Pull handle



# PANTOGRAPHIC DESIGN AND GLASS INSERTS



As the options for pantographic design are numerous, we can apply any design you choose, on demand, in incredible detail.




Although these glazed designs are the most popular, you can create your own design on demand, exactly as you want it.



# SPECIAL CONFIGURATIONS

### HVAC millings



### Drop down seal



### QUIET-SEAL<sup>™</sup> Drop down seal

Automatic door bottoms, commonly called draught excluders, are automatic devices that drop a seal down to the floor as the door closes. They are activated by a button pressed against the door jamb to perfectly seal the gap between the door and floor. Keeping draughts of air, smoke, dust and noise out of an environment contributes to greater comfort, guaranteeing savings in terms of the amount of energy required to heat or cool the same.

Insensation mills and installs the QUIET-SEAL<sup>™</sup> in all of our swing doors on request, adding yet another unique component to our innovative door lines.